



RISE CHARTER SCHOOL

Policy 8101: Safety Busing

Status: 1st Reading

Original Adopted Date:

Last Revised Date:

Last Reviewed Date:

Safety Busing

RISE Charter School contracts with Kimberly School District for student transportation services. In order to maintain consistency and alignment with those services, RISE Charter School has adopted a transportation policy that mirrors Kimberly School District's Safety Busing policy.

Safety busing is the transportation of a student who lives less than one and one-half (1 1/2) miles from school when, in the judgment of the Board of Trustees, the age or health or safety of the students warrants such action.

The Board of Trustees will only consider requests for safety busing for students living less than one and one-half (1 1/2) miles from school when one or more of the following criteria are met:

1. Unsupervised crossing of a heavily traveled multi-lane roadway requiring beyond-age level comprehension of complex traffic hazards;
2. Walking along an arterial road and highway permitting fifty-mile-per-hour speeds;
3. Crossing an intersection in competition with a high volume of right turning vehicles without the benefit of adult supervised crossing;
4. Walking in the traffic lane of an arterial or collector street because of the absence of sidewalks or usable shoulders which are at least three (3) feet wide;
5. Walking beside or over unprotected waterways;
6. Walking routes which are temporarily interrupted by major road construction, building construction, or utility construction;
7. Walking routes interrupted by numerous high traffic volume business driveways;
8. Other unique circumstances or extraordinary factors.

The existence of any of the above criteria does not automatically qualify an area for safety busing. The Board of Trustees may also consider evaluation factors including but not limited to: traffic count, traffic gap times, posted speed, width of roadway, width of walking area, length of time student would be exposed to area of concern, age of pupils, number of pupils, and traffic control signs and markings, as well as written comments from parents, patrons, and school personnel prior to a vote on the issue. Further, the Board of Trustees shall consider the criteria set out in its measuring and scoring instrument, with an appropriate cut off for safety busing purposes when the scoring element used indicates hazards that are reasonable for students to encounter during their walk to and from school. The minimum cut-off total scoring on the Measuring Instrument For Walking Students for students less than 1 1/2 miles from this school is a score of 62.

Each year, no later than the regular board meeting in August, the Board of Trustees shall review and vote on all requests for new safety busing locations. The Board may annually approve the formation of an ad hoc supplemental transportation committee for the purpose of objectively evaluating all hazardous routes less than 1.5 miles from the student's home to school, using the Board approved measuring instrument. The Superintendent or their designee is directed to review all existing safety busing locations at intervals of at least every three years.

Cross Reference: 8100 Transportation; 8110 Bus Routes, Stops and Non-Transportation Zones

Legal Reference: I.C. § 33-1501 Transportation Authorized

Policy History:

Adopted on:

Revised on:

Reviewed on:

Exhibit 1 - Measuring Instrument for Walking Students

School District: _____ School: _____

Location of Area Rated: _____

Date Rated: _____

Rate the following by putting a circle around the appropriate number. The higher the number, the more hazardous the walking route.												Numeric Score		
Vehicular:														
1. Average hourly traffic during school arrival & departure both morning & afternoon. A.M.	Over 1000	1000-901	900-801	800-701	700-601	600-501	500-401	400-301	300-201	200-101	10-0			
	10	9	8	7	6	5	4	3	2	1	0			
P.M.	10	9	8	7	6	5	4	3	2	1	0			
2. Truck traffic during school arrival & departure both morning & afternoon. A.M.	Over 100		100-75		75-51		50-25		25-1		0			
	5	4	3	2	1	0								
P.M.	5	4	3	2	1	0								
3. Posted traffic speed	55 mph	50 mph	45 mph	40 mph	35 mph	30 mph	25 mph	20 mph						
	7	6	5	4	3	2	1	0						
Pedestrian:														
1. Number of pupils	Over 225	225-201	200-176	175-151	150-126	125-101	100-76	75-51	50-26	25-1	0			
	10	9	8	7	6	5	4	3	2	1	0			
2. Grade level	Elementary			Middle School/Junior High				High School						
	10	9	8	7	6	5	4	3	2	1	0			
Roadway:														
1. Width of road	Multi-lane divided highway, raised or painted median		Multi-lane (two-way) or Single-lane w/left turn lane		Two-lane Two-way No-passing		Two-lane Two-way Passing		Two-way, no street markings					
	10	9	8	7	6	5	4	3	2	1	0			
Crossing	10	9	8	7	6	5	4	3	2	1	0			
Exposure time walking along (in minutes)	> 30	27-30	24-27	21-24	18-21	15-18	12-15	9-12	6-9	3-6	0-3			
	10	9	8	7	6	5	4	3	2	1	0			
2. Shoulder or sidewalk "Narrow" - under 3 feet "Wide" - 3-8 feet	No shoulder or sidewalk		Narrow, unpaved shoulder, no sidewalk		Narrow, paved shoulder, no sidewalk		Wide, unpaved shoulder, no sidewalk		Wide, paved shoulder, no sidewalk		Sidewalk all way with no breaks		Sidewalk all way with no breaks, shoulder or utility strip	
	10	9	8	7	6	5	4	3	2	1	0	0	-	10
3. Accumulative walking area with no sidewalk	100%	90%	80%	70%	60%	50%	40%	30%	20%	10%	< 10%			
	10	9	8	7	6	5	4	3	2	1	0			

4. Traffic control signs & markings (score as many as applicable)	No school signs	No pavement markings	No traffic signals	No traffic lights - Elementary Only	No crossing guard - Elementary Only	
2	2	2	2	2	2	

Environmental: (over)

Environmental: (continued)

1. Visual obstructions (trees, shrubs, hills, curves, buildings, etc.)	Comments:											
	Accumulative Exposure - % of Walking Route											
	100 %	90%	80%	70%	60%	50%	40%	30%	20%	10%	<10 %	
10	9	8	7	6	5	4	3	2	1	0		

2. Cross traffic pupil's direction of travel (streets & driveways other than single family home)	Comments:											
	Accumulative Exposure - % of Walking Route											
	100 %	90%	80%	70%	60%	50%	40%	30%	20%	10%	<10 %	
10	9	8	7	6	5	4	3	2	1	0		

3. Special conditions (extraordinary factors, fences, open waterway, history of crime, etc.)	Comments:											
	Accumulative Exposure - % of Walking Route											
	100 %	90%	80%	70%	60%	50%	40%	30%	20%	10%	<10 %	
10	9	8	7	6	5	4	3	2	1	0		

Accident Rate:

Accident rate (vehicle & pedestrian)	2 x Average for Facility	1.6 x Average for Facility	Average for Facility	.75 Average for Facility	.5 Average for Facility						
	10	9	8	7	6	5	4	3	2	1	0

TOTAL RATING:

Contacted Agency or Individual Responsible for Making Improvements	Agency or Individual	Contact Person W/Phone Number
	State Highway District	
	County Roads	
	City Streets	
	Canal Company	
	Developer	
	Property Owner	
Other:		

Comments:

Evaluator _____

Date Evaluated _____